

投光燈



歐盟安全標準



無藍光危害



無頻閃



不含鉛汞






IP66



材質	壓鑄鋁+強化玻璃					
演色性 (CRI)	>80					
功率因數	>0.9					
色溫 (CCT)	3000K		4000K		6500K	
功率 (W)	50W	100W	150W	200W	250W	300W
發光效率	100 lm/w-180 lm/w					
光通量/流明 (lm)	1000 lm-90000 lm					
光源壽命	50000hr					
輸入電壓	100-240 Vac					

產品型號

50W	FLD-050W-30-65K
100W	FLD-100W-30-65K
150W	FLD-150W-30-65K
200W	FLD-200W-30-65K
250W	FLD-250W-30-65K
300W	FLD-300W-30-65K



超頻三天井燈



節能標章



R45674



歐盟安全標準



無藍光危害



無頻閃



不含鉛汞




IP66




材質	壓鑄鋁+強化玻璃					
演色性 (CRI)	>80					
功率因數	>0.9					
色溫 (CCT)	4000K	5000K	5700K	6500K		
功率 (W)	50W	60W	80W	90W	12W	150W
發光效率	>100 lm/w					
光通量/流明 (lm)	6000 lm-15000 lm					
光源壽命	50000hr					
輸入電壓	100-240 Vac					
發光角度	24°	36°	48°	60°	90°	120°

產品型號

50W	HB3-MWS3C-50w-50k-H
60W	HB3-MWS3C-60w-50k-H
80W	HB3-MWS3C-80w-50k-H
90W	HB3-MWS3C-90w-50k-H
120W	HB3-MWS3C-120w-50k-H
150W	HB3-MWS3C-150w-50k



235mm



275mm

UFO 天井燈



節能標章



R45674



歐盟安全標準



無藍光危害



無頻閃



不含鉛汞




IP66




材質	壓鑄鋁+強化玻璃						
演色性 (CRI)	>80						
功率因數	>0.9						
色溫 (CCT)	4000K	5000K	5700K	6500K			
功率 (W)	50W	60W	80W	100W	150W	200W	250W
發光效率	>100 lm/w						
光通量/流明 (lm)	10000 lm-25000 lm						
光源壽命	50000hr						
輸入電壓	100-240 Vac						
發光角度	90°						

產品型號

50W	HBU-XQXXX-50WK30-65
60W	HBU-XQXXX-60WK30-65
80W	HBU-XQXXX-80WK30-65
100W	HBU-XQXXX-100WK30-65
150W	HBU-XQXXX-150WK30-65
200W	HBU-XQXXX-200WK30-65
250W	HBU-XQXXX-250WK30-65



235mm



165mm